

## Publications : Jean-François PEYRAT

- 1- Figadère, B.; Chaboche, C.; Peyrat, J.-F.; Cavé, A.  
Stereocontrolled Synthesis of Key Intermediates in the Total Synthesis of Acetogenines of Annonaceae.  
*Tetrahedron Letters*, 1993, 34, 8093-8096.
- 2- Figadère, B.; Chaboche, C.; Franck, X.; Peyrat, J.-F.; Cavé, A.  
Carbonyl reduction of functionalized Aldehydes and Ketone by Tri-*n*-butyltin Hydride and SiO<sub>2</sub>.  
*Journal of Organic Chemistry*, 1994, 59, 7138-7141.
- 3- Peyrat, J.-F.; Chaboche, C.; Figadère, B.; Cavé, A.  
A Formal Stereoselective Synthesis of a Hydroxyethylene Dipeptide Isostere.  
*Tetrahedron Letters*, 1995, 36, 2757-2760.
- 4- Peyrat, J.-F.; Figadère, B.; Cavé, A.; Mahuteau, J.  
Study of the binding affinity of oligo-Tetrahydrofuranic  $\gamma$ -Lactones with Cations.  
*Tetrahedron Letters*, 1995, 36, 7653-7656.
- 5- Peyrat, J.-F.; Figadère, B.; Cavé, A.  
Halide Exchange: Preparation of alkyl Chlorides.  
*Synthetic Communications*, 1996, 28, 4563-4567.
- 6- Figadère, B.; Peyrat, J.-F.; Cavé, A.  
Replicative Chiron: Stereoselective Synthesis of Oligo-Tetrahydrofuranic Lactones via C-Glycosylation with Trimethylsilyloxyfuran.  
*Journal of Organic Chemistry*, 1997, 62, 3428-3429.
- 7- Peyrat, J.-F.; Mahuteau, J.; Figadère, B.; Cavé, A.  
NMR Studies of Ca<sup>2+</sup> Complexes of Annonaceous Acetogenins.  
*Journal of Organic Chemistry*, 1997, 62, 4811-4815.
- 8- Cavé, A.; Chaboche, C.; Figadère, B.; Harmange, J.-C.; Laurens, A.; Peyrat, J.-F.; Pichon-Stainmesse, M.; Szlosek, M.  
Study of the structure-activity relationship of the Acetogenins of Annonaceae, Muricatacin and analogs.  
*European Journal of Medicinal Chemistry*, 1997, 32, 617-623.
- 9- Szlosek, M.; Peyrat, J.-F.; Chaboche, C.; Franck, X.; Hocquemiller, R.; Figadère, B.  
Acetogenins of annonaceae. Part 86: synthesis of a highly functionalized precursor of (-)-4-deoxygigantecin, an annonaceous acetogenin.  
*New J. Chem.*, 2000, 24, 337-342.
- 10- Nay, B.; Peyrat, J.-F.; Vercauteren, J.  
Phenols as C- and O-Nucleophiles in Palladium-Catalysed Allylic Substitutions.  
*Eur. J. Org. Chem.*, 1999, 2231-2234.
- 11- Nay, B.; Arnaudinaud, V.; Peyrat, J.-F.; Nuhrich, A.; Deffieux, G.; Mérillon, J.M.; Vercauteren, J.  
Total Synthesis of Isotopically Labelled Flavonoids (2): <sup>13</sup>C-Labelled ( $\pm$ )-Catechin From Potassium [<sup>13</sup>C] Cyanide.  
*Eur. J. Org. Chem.*, 2000, 1279-1283.
- 12- Alami, M.; Peyrat, J.-F.; Brion, J.-D.  
1,2-Dihalogenoalkenes: Useful Linchpins to Unsaturated Compounds via Palladium or Nickel Catalysis.  
*Synthesis*, 2000, 1499-1518.
- 13- Alami, M.; Peyrat, J.-F.; Belachmi, L.; Brion, J.-D.  
Efficient Syntheses of New Heteroarotinoids through functional Pyridylzinc Reagents and Palladium-Catalyzed Cross-Coupling Reactions.  
*Eur. J. Org. Chem.*, 2001, 4207-4212.
- 14- Alami, M.; Peyrat, J.-F.; Brion, J.-D.  
Stereoselective synthesis of (*E*)-chloroenynes or (*E*, *E*)-chlorodienes starting from a steroisomeric mixture of 1,2 dichloroethylenes.  
*Tetrahedron Letters*, 2002, 43, 3007-3009.
- 15- Alami, M.; Liron, F.; Gervais, M.; Peyrat, J.-F.; Brion, J.-D.  
Ortho Substituents direct Regioselective Addition of Tributyltin Hydride to unsymmetrical Diaryl (or Heteroaryl) Alkynes: An Efficient Route to Stannylated Stilbene Derivatives.  
*Angew. Chem. Int. Ed.*, 2002, 41, 9, 1578-1580.
- 16- Liron, F.; Gervais, M.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
Palladium-catalyzed stereoselective synthesis of (*E*)- and (*Z*)-1,1-diaryl or triarylolefins.  
*Tetrahedron Letters*, 2003, 44, 2789-2794.

- 17- Peyrat, J.-F.; Thomas, E.; L'Hermite, N.; Alami, M.; Brion, J.-D.  
 Versatile palladium(II)-catalyzed Negishi coupling reactions with functionalized conjugated alkenyl chlorides.  
*Tetrahedron Letters*, **2003**, *44*, 6703-6707.
- 18- Seck, M.; Franck, X.; Hocquemiller, R.; Figadère, B.; Peyrat, J.-F.; Provot, O.; Brion, J.-D.; Alami, M.  
 Synthesis of substituted quinolines by iron-catalyzed coupling reactions between chloroenynes and Grignard reagents.  
*Tetrahedron Letters*, **2004**, *45*, 1881-1884.
- 19- Olivi, N.; Spruyt, P.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Tandem amine propargylation-Sonogashira reactions: new three-component coupling leading to functionalized substituted propargylic amines.  
*Tetrahedron Letters*, **2004**, *45*, 2607-2610.
- 20- Pottier, L.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Highly substituted enynes via a palladium-catalyzed tandem three carbon-carbon bonds forming reaction procedure from benzyl halides and alkynyl tributyltin reagents.  
*Tetrahedron Letters*, **2004**, *45*, 4035-4038.
- 21- Pottier, L.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Unexpected Tandem Sonogashira-Carbopalladation-Sonogashira Coupling Reaction of Benzyl Halides with Terminal Alkynes: A Novel Four-Component Domino Sequence to Highly Substituted Enynes.  
*Synlett*, **2004**, *9*, 1503-1508.
- 22- Olivi, N.; Thomas, E.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Highly efficient *p*-toluenesulfonic Acid-Catalyzed Alcohol Addition or Hydratation of Unsymmetrical Arylalkynes.  
*Synlett*, **2004**, *12*, 2175-2179.
- 23- Dos Santos, M.; Franck, X.; Hocquemiller, R.; Figadère, F.; Peyrat, J.-F.; Provot, O.; Brion, J.-D.; Alami, M.  
 Iron-Catalyzed Coupling Reaction between 1,1-dichloro-1-alkenes and Grignard Reagents.  
*Synlett*, **2004**, *15*, 2697-2700.
- 24- Provot, O.; Giraud, A.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Synthetic approach to enyne and enediyne analogues of anticancer agents.  
*Tetrahedron Letters*, **2005**, *46*, 8547-8550.
- 25- L'Hermite, N.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Synthesis and characterization of low generation halogenated linear Poly(AryPropargyl)Ether (PAPE) branches via selective palladium catalyzed coupling reactions.  
*Tetrahedron Letters*, **2005**, *46*, 8987-8991.
- 26- Le Bras, G.; Provot, O.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 $\alpha$ -Iodination of Ketones with MnO<sub>2</sub>/I<sub>2</sub> Reagent Combination: A New Environmentally Friendly Procedure.  
*Synthesis*, **2006**, *9*, 1537-1541.
- 27- Le Bras, G.; Provot, O.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Rapid microwave assisted hydration of internal arylalkynes in the presence pf PTSA: an efficient regioselective access to carbonyl compounds.  
*Tetrahedron Letters*, **2006**, *47*, 5497-5501.
- 28- Giraud, A.; Provot, O.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Microwave-assisted efficient synthesis of 1,2-diaryldiketones: a novel oxidation reaction of diarylalkynes with DMSO promoted by FeBr<sub>3</sub>.  
*Tetrahedron*, **2006**, *62*, 7667-7673.
- 29- Le Bras, G.; Bekaert, A. ; Viossat, B.; Peyrat, J.-F.; Alami, M.; Brion, J.-D; Lemoine, P.  
 Crystal Structure of cyclonovobiocin, C<sub>44</sub>H<sub>42</sub>N<sub>2</sub>O<sub>12</sub>  
*Z. Kristallogr. NCS*, **2006**, 381-382.
- 30- L'Hermite, N.; Giraud, A.; Provot, O.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.  
 Disproportionation reaction of diarylmethylisopropyl ethers : a versatile access to diarylmethanes from diarylcarbinols speeded up by the use of microwave irradiation.  
*Tetrahedron*, **2006**, *62*, 11994-12002.

- 31- Audisio, D.; Messaoudi, S.; Peyrat, J.-F.; Alami, M.; Brion, J.-D. A convenient and expeditious synthesis of 3-(N-substituted) aminocoumarins *via* palladium-catalyzed Buchwald-Hartwig coupling reaction.  
**Tetrahedron Letters**, **2007**, 47, 6928-6932.
- 32- Russo, O.; Messaoudi, S.; Hamze, A.; Olivi, N.; Peyrat, J.-F.; Brion, J.-D.; Sicsic, S.; Berque-Bestel, I.; Alami, M..  
Three-component one-pot process to propargylic amines and related amide and sulphonamide compounds : application to the construction of 2-(aminomethyl)benzofurans and indoles.  
**Tetrahedron**, **2007**, 63, 10671-10683.
- 33- Le Bras, G.; Radanyi, C.; Peyrat, J.-F.; Brion, J.-D.; Alami, M.; Marsaud, V.; Stella, B.; Renoir, J.-M.  
New novobiocin analogues as antiproliferative agents in MCF-7 breast cancer cells and potential inhibitors of heat shock protein 90.  
**J. Med. Chem.**, **2007**, 50, 6189-6200.
- 34- Le Bras, G.; Bekaert, A.; Viossat, B.; Peyrat, J.-F.; Alami, M.; Brion, J.-D.; Lemoine, P..  
Crystal structure of 3-[2,2 dimethylchroman-6-yl] carbonylamino]-7-hydroxy-8-methyl-2-oxo-2H-chromen-4-yl toluene-4-sulfonate,  $C_{29}H_{27}NO_8S$ .  
**Z. Kristallogr. NCS**, **2007**, 1-2.
- 35- L'Hermite, N.; Peyrat, J.-F.; Hidgen, P.; Brion, J.-D.; Alami, M.; Synthesis of Poly(arylpropargyl ether) (PAPE) Stars and Evaluation of Their Cytotoxic Properties.  
**Synthesis**, **2008**, 7, 1049-1060.
- 36- Radanyi, C.; Le Bras, G.; Messaoudi, S.; Bouclier, C.; Peyrat, J.-F.; Brion, J.-D.; Marsaud, V.; Renoir, J.-M.; Alami, M..  
Synthesis and biological activity of simplified denoviose-coumarins related to novobiocin as potent inhibitors of Heat-shock protein 90 (hsp90).  
**Bioorg. Med. Chem.**, **2008**, 18, 2495-2498.
- 37- Messaoudi, S.; Peyrat, J.-F.; Brion, J.-D.; Alami, M..  
Recent Advances in Hsp90 Inhibitors as Antitumor Agents.  
**Anticancer agents in Med. Chem.**, **2008**, 8, 761-782.
- 38- Radanyi, C.; Le Bras, G.; Marsaud, V.; Peyrat, J.-F.; Messaoudi, S.; Catelli, M.-G., C.; Brion, J.-D.; Alami, M.; Renoir, J.-M..  
Antiproliferative and apoptotic activities of tosylcyclonovobiocic acids as potent heat shock protein 90 inhibitors in human cancer cells;  
**Cancer Letters.**, **2008, sous presse**.

*Articles dans ouvrages :*

- 1- J.-F. Peyrat, M. Alami and J.-D. Brion.  
**Antibiotiques : pharmacologies et thérapeutique**  
Les  $\beta$ -lactamines : Les Pénicillines et Céphalosporines, collection Pharma, Coordinateurs C. Gaudy, J. Buxeraud, éditions ELSEVIER , **2005**, 31-113.
- 2- J.-F. Peyrat, M. Alami and J.-D. Brion.  
**Antibiotiques : pharmacologies et thérapeutique**  
Les aminosides, collection Pharma, Coordinateurs C. Gaudy, J. Buxeraud, éditions ELSEVIER, **2005**, 113-133.

*Brevets :*

- 1- "CA-4 et analogues : puissants cytotoxiques, inhibiteurs de la polymérisation de la tubuline." Alami, M.; Brion, J.-D; Provot, O.; Peyrat, J.-F.; Messaoudi, S.; Hamze, A.; Giraud, A.; Bignon, J.; Bakala- Wdzieczak, J.; Liu, Jian-Miao **Brevet-CNRS-UPS N° 0754280**; déposé le 04 avril 2007, étendu à l'international **PCT N°EP2008/054118 du 04 avril 2008**.
- 2- "CA-4 et analogues : Une nouvelle classe de composé cytotoxiques, inhibiteurs de la polymérisation de la tubuline et à propriétés anti-vasculaires". Alami, M.; Brion, J.-D, Messaoudi, S.; Hamze, A.; Provot, O.; Peyrat, J.-F.; Bignon, J.; Bakala- Wdzieczak, J.; Liu, Jian-Miao, J.-Y. Lallemand. **Brevet CNRS -UPS N° FR 01864-01** déposé le **Mai 2008**.